



SPECIFICATIONS

TO

CONSIDER

The following specifications apply to both the White Edition and the Standard Edition of the Epson® SureColor® F2000 Series Direct-to-Garment Printers.

- ☒ **Maximum image/print area is 16"x20" (*when using the optional Epson® Large Garment Platen – 16"x20" size*).**
- ☒ **Combo head/8-channels. Drop-on-demand inkjet head.**
- ☒ **Ink technology: Epson® UltraChrome® DG Ink. This high dispersion ink was developed by Epson® specifically for cellulose-based, direct-to-garment imaging. Compatible with garments made of 100% cotton and cotton blends. Ink is supplied in cartridge sizes of 250 ml and 600 ml.**
- ☒ **Printer dimensions: 19.3"H x 38.8"W x 56.1"L.**
- ☒ ***Estimated* printer weight = 181 lbs.**
- ☒ ***Estimated* printer shipping weight = 200 lbs.**
- ☒ **Shipping crate size: 61" x 47" x 33".**
- ☒ **Operating system: PC/Windows or Macintosh®.**
- ☒ **USB thumbdrive compatibility: up to 128GB, Fat32 formatted.**

☑ **Standard connectivity: USB 2.0 & 10/100 Base-T Ethernet.**

☑ **Electrical requirements.....120 volts**

-Plug-in wiring
-Voltage AC 100-240V
-Frequency: 50-60 Hz
-1 Phase
-Current 0.4-0.7A
-5 Amp

☑ **Power consumption.....Power Off is less than 0.5W.**

-Standby is approximately 20W.
-Sleep is approximately 10W.
-Operating is approximately 52W.

☑ **Noise level is 41 dB.**

~~~~~



***The following specifications apply ONLY to the White Edition of the Epson<sup>®</sup> SureColor<sup>®</sup> F2000 Series Direct-to-Garment Printer.***

☑ **Ink cartridge configuration (6 cartridges) is WH, WH, Y, M, C, K.**  
*(An individual cartridge may supply ink to more than one ink channel.)*

☑ **Maximum on-board ink capacity (color/white) is 3,600 ml.**

☑ **Maximum print resolution/Color/is up to 720 nozzles dedicated to color inks (16 pass) and 1,440 x 720 dpi.**

**Maximum print resolution/White/is up to 1,440 nozzles dedicated to white inks and 1,440 x 1,440 dpi (8 pass).**

☑ **Print speed – production mode – *imaging on a 10" x 8" upper chest:***

- .....NO WHITE = 1:22 min:sec
- .....WITH WHITE = 2.22 min:sec



***The following specifications apply ONLY to the Standard Edition of the Epson® SureColor® F2000 Series Direct-to-Garment Printer.***

- ☑ Ink cartridge configuration (6 cartridges) is K, Y, M, M, C, C.  
(An individual cartridge may supply ink to more than one ink channel.)**
- ☑ Maximum on-board color capacity (color/white) is 2,400 ml/1,200 ml.**
- ☑ Maximum print resolution/Color/is up to 720 nozzles dedicated to color inks (8-pass) 1,440 x 720 dpi.**
- ☑ Print speed – production mode – *imaging on a 10" x 8" upper chest:*  
.....NO WHITE = 0.44 min:sec**